

THERMACUT[®]
THE CUTTING COMPANY[™]

PLASMA CUTTING SYSTEM

EX-TRAFIRE[®] 30H

PORTABLE
AND POWERFUL



CUTTING
CURRENT
30 A

CUTTING MAX.
10 mm +

LIGHTWEIGHT
10.5 kg

WWW.EX-TRAFIRE.COM

CUTS METAL. AND COSTS.


The particularly powerful **EX-TRAFIRE® 30H** plasma cutting system offers businesses and operators a number of many advantages!

EXTRA PERFORMANCE



- + Cutting
- + Precise cuts
- + Easy operation

HIGHEST APPLICATION FLEXIBILITY




- + Plate thicknesses up to 10 mm +
- + Lightweight, exceptionally portable
- + Fixed torch with flexible torch package

SIMPLE OPERATION



- + Plug & cut
- + Easily accessible filter regulator
- + Engineered for professionals and metal artists

BEST COST-EFFECTIVENESS



- + Very low investment
- + Lower running costs

EX-TRAFIRE® 30H

PLASMA CUTTING SYSTEM.



SPECIFICATION

Severance [mm]	10+ ⁽¹⁾
Recommended [mm]	8 ⁽¹⁾
Piercing [mm]	8 ⁽¹⁾
Cutting current [A]	10-30

DUTY CYCLE (40 °C)

100 %	@ 21 A - 88.4V
60 %	@ 25 A - 90V
35 %	@ 30 A - 92V

INPUT

Voltage (VAC) [V/Hz]	220-240 VAC 50/60
Compressed air flow [lpm/bar]	48/4.5
Pressure (max.) [bar/psi]	10/145

MACHINE DATA

Dimensions W×L×H [mm]	165x480x290
Weight [kg]	10.5

HAND-HELD TORCH

FHT-EX® 30H

(1) related to low-alloy steel (mild steel)

THINK FRESH. CUT ORANGE.

THERMACUT® comes up with fresh ideas for cutting technology. Benefit from innovative, reliable, powerful and highly efficient cutting solutions.



Discover the other plasma cutting systems within the **EX-TRAFIRE® SD** family and our wide range of cutting solutions at www.ex-trafire.com.



WWW.THERMACUT.COM
SALES@THERMACUT.CZ

follow
#EXTRAFIRE



THERMACUT®, THE CUTTING COMPANY®, FHT-EX®, EX-TRAFIRE®, EX-TRACK®, EX-TRABEAM® AND EX-TRAFIRE® ARE REGISTERED TRADEMARKS OF THERMACUT, K.S. AND MAY BE REGISTERED IN CZECH REPUBLIC AND/OR OTHER COUNTRIES. ALL OTHER TRADEMARKS ARE PROPERTIES OF THEIR RESPECTIVE OWNERS.